

# MATERIAL SAFETY DATA SHEET

## **BRAKLICK**(Aerosol)

1. IDENTIFICATION:

COMPANY ITW INDIA LIMITED

**ADDRESS** PLOT NO 34 – 37. PHASE -2.

APIIC, PASHAMMYLARAM,

MEDAK – 502 307 (35 KM FROM HYDERABAD)

INDIA.

EMERGENCY CELL No: 91-9000031515 TELEPHONE: 91 - 8455 - 224700FAX: 91 - 8455 - 224705

PRODUCT USE: Cleaning **PACKAGES** Aerosol.

NFPA RATING: Health 1, Flammability (Aerosol 4), Reactivity 0.

**REVISION DATE:** 25 Dec '2008

## 2. HAZARDOUS INGREDIENTS:

	Wt/wt%	CAS#	TLV	LD 50	LC 50	R-Phrases	
2-Propanol	30-50	67-63-0	400ppm	3.6g\Kg(Oral\mou	se) Not ava	11	
2-Propanone	30-40	67-64-1	750ppm	6g\Kg(Oral\rat)	Not ava	11,38,51\53,65,67	
Heptane	15-25	142-82-5	400ppm	222mg\kg	103gm\m3	9,11,20,22	
Methylal	10-20	109-87-5	1000ppm	5.7g\Kg(Oral\mous	se)18354 ppm	11,19,36	
Propellant	1-5	124-38-9	5000ppm	Not ava	Not avail	Not ava	

## 3. HAZARDS IDENTIFICATION:

**Important Hazards-Fire:** Highly Flammable.

> Gas/Vapor explosive with air with in explosion limits. The vapors are heavier than air ,spreads along the ground. In use ,may form flammable /explosive vapor –air mixture.

Pressurized container.

Aerosol may explode under the affect of heat.

**Environmental Hazards:** Toxic to aquatic organisms. May cause long term adverse effects in aquatic environment.

POTENTIAL HEALTH EFFECTS & SIGNS AND SYMPTONS OF EXPOSURE:

Skin Contact: Can irritate by removing natural skin oils on long or repeated exposure.

May irritating, but does not damage eye tissue. Eves: Vapors may cause dizziness and nausea. Inhalation: Ingestion: Not significant in small (mouthful) amounts.

4. FIRST AID:

Skin Contact: Remove contaminated clothing. Wash exposed areas with soap and water.

Eves: Rinse carefully under upper and lower eyelids using plenty of water for at least 10 min. Inhalation: Remove to fresh air if dizzy or nauseated. In case of loss of consciousness, give artificial

Respiration.

Ingestion: Do not induce vomiting. Accidental ingestion of a single mouthful is not expected to

> cause significant harm. Rinse mouth with water. In all severe cases, contact physician immediately.

NOTE: 5. FIRE HAZARD:

Conditions of flammability: Bulk & Aerosol: Ignition will occur if used near flames, arcs or any other ignition source.

Flash point: 2deg F(-16 deg C)(Pensky Marten closed cup)

Flammable limits in air: 2% to 15%

Extinguishing media: Carbon Dioxide, foam, water, dry chemicals Special fire fighting procedures: Keep containers cool with water spray.

Hazardous combustion products: Smoke, soot, oxides of carbon

Unusual fire hazards: Aerosol cans may burst at temperatures over 50 °C and add to existing fire. Special Protective equipment

for fighters:

Full protective clothing and self containing breathing apparatus.

## 6. ACCIDENTAL RELEASE MEASURES:

Personal Precautions: Personal Protection Equipment must be worn. See Section 8.

Methods for Cleaning up:

on Soil:

Prevent product from entering drains \surface water\ground water.

Remove sources of ignition.

Mop up or sweep up with absorbent (For disposal, see Section 13)

#### 7. HANDLING AND STORAGE

*Handling:* Ensure good ventilation.

Do not spray on a naked flame or any incandescent material.

Do not pressurize, cut, heat or weld containers (empty product containers may contain

product residue)

Do not handle, store or open near an open flame, sources of heat or sources of ignition.

Do not smoke.

Storage: Avoid proximity or contact with hot surfaces, flames or sparks.

Store in dry ,cool ,well ventilated area.

Keep container tightly closed.

Protect from sunlight and do not expose to temperature exceeding 50 °C.

Keep away from heat.

Keep away from all sources of ignition.

Avoid breathing vapors. Avoid eye contact.

Avoid repeated or prolonged skin contact.

Avoid breathing spray mist.

Packaging:

-General Do not pierce or burn, even after use.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION:

**Recommended Engineering:** When using, do not eat ,drink or smoke.

Controls None, unless sprayed. Use where ventilation will carry spray mist away from occupied

areas.

Personal protection:

Skin and hand protection:

**Respiratory protection**: Ensure good ventilation.

High vapor concentration: gas mask, filter A.

In case of insufficient ventilation wear suitable respiration equipment. Respirator with filter if sprayed in enclosed unventilated space. Handle according to good industrial hygiene and safety procedures.

Appropriate protective clothing and gloves.

Wear nitrile rubber gloves if hand exposure is unavoidable.

**Eye protection:** Wear safety glasses to protect eyes.

## 9. PHYSICAL PROPERTIES:

Physical and chemical properties of active product with out gas.

These are indicative values only. Please refer to product specification sheet.

Appearance:ColorlessOdor:CharacteristicpH:Not ApplicableInitial boiling point:132 deg F (55 °C)

 $< 20^{\,0}\,{\rm C}$ Melting point: -16 ° C Flash point; 370 °C Auto ignition temperature: Vapor pressure: 19Kpa Oxidizing properties: Not applicable Pour point: Not applicable. Not established Water solubility: Density\Sp gravity:  $750 \text{ kg/m}^3$ 

#### 10. STABILITY AND REACTIVITY:

Stable in normal conditions of use.

Conditions to avoid: Temperatures above 50 ° C

Avoid proximity or contact with flames or sparks.

*Incompatibility:* None Known.

Hazardous decomposition products: None

*Reactivity*: None Known.

## 11. TOXICOLOGICAL INFORMATION

(Based on test with similar products).

(Refers to active component)

No toxicological information available.

*Oral LD (50 rat)*: <2000mg\kg

*Dermal LD*( *50 Rabbit*): No information available *Inhalation LC* (*50 Rat/4h*): No information available.

*Skin contact:* Slightly irritant.

Eye Contact: Will cause eye discomfort, but will not injure eye tissue.

Inhalation: Avoid breathing vapors or mists.

Irritating to respiratory system.

Ingestion:Minimal toxicity.Skin Sensitization test:Data not available.Mutagen city and Carcinogenicity:No information available.

#### 12. ECOLOGICAL INFORMATION

Mobility:Not established.Degradability:Not established.

**Ecotoxicity and bioaccumulation:** Expected to be toxic to aquatic organisms.

## 13 **DISPOSAL**:

Disposal of product: This product is not suitable for disposal by either landfill or via municipal

sewers, drains, natural streams or rivers.

Dispose of in a safe manner ,in accordance with local regulations

Disposal of packing: Dispose of in a safe manner ,in accordance with local regulations.

Empty aerosol cans before disposal.

Non hazardous waste as per classification in The Hazardous Wastes (

Management and Handling) Rules 1989, of CPB, India

RCRA: hazardous waste U.S EPA Waste number: D001

## 14 TRANSPORTATION:

UN 1950
Proper Shipping Name: Aerosol
-ADR/RID; LQ2
Class: 2,5F
Label: 2.1
-Maritime Transport(IMO-IMDG): LQ=1L
Class: 2
EMS: F-D,S-U

Marine pollutant:

--Air Transport(CAO/IATA):

Class: 2
Packing instructions; 203

#### 15. **REGULATORY INFORMATION:**

TSCA: All ingredients are listed in TSCA inventory

**CERCLA:** Reportable quantity for Acetone=5000lbs

SARA TITLE III, Section 313: Acetone California Proposition 65: Contains

**EEC Labeling information:** 

Hazard Symbols: Highly Flammable

Irritant: Xi

Dangerous for Environment: N

Risk phrases: R11: Highly Flammable.

R38: Irritating to Skin.

R 51\53: Toxic to aquatic organisms, may cause long term adverse effects in the aquatic

Environment.

R 67: Vapors may cause drowsiness and dizziness.

Safety phrases: Pressurized container .Protect from sunlight and do not expose to temperatures exceeding

50 °C. Do not pierces or burn after use .Do not spray on naked flame or any incandescent

material l. Keep away from sources of ignition-No smoking. Keep out of reach of children. With out adequate ventilation formation of explosive mixtures may be possible.

S23.2: Do not breathe vapor S23.4: Do not breathe spray.

S46: If swallowed seek medical advice immediately and show this container or Label.

S 51: Use only in ventilated areas.

16. OTHER INFORMATION:

Sources of Key data used: Raw material supplier's data sheets were used as key data sources in the preparation

Of this safety data sheet.

Risk phrases used in Sec.3:

R:9: Explosive when mixed with combustible material

R 11: Highly Flammable

R 19: May form explosive peroxide.

R 20:Harmful by inhalation R22: Harmful if swallowed

R36/38: Irritating to Eyes and skin.

R51/53: Toxic to aquatic organizations, may cause long term adverse effects in the

aquatic environment.

R 65: Harmful, may cause lung damage if swallowed.

R66: Repeated exposure may cause skin dryness or cracking.

R67 Vapors may cause drowsiness and dizziness.

Revision Statement:

Review Nil

Supersedes:

The contents and format of this MSDS are in accordance with EC Commission Directive.