

SAFETY DATA SHEET

1. PRODUCT AND COMPANY IDENTIFICATION

1.1	Trade Name	MET-L-GARD RP 701 CR
1.2	Use of substance	Rust Preventive Oil
1.3	Manufacturer/Supplier	ITW Chemin, ITW INDIA PRIVATE LIMITED
	Address	Plot No: 34-37, Phase- 2, IDA, TSIIC, Pashamylaram, Sangaraeddy Dist.- 502307, INDIA
	Phone Number	+91 8455 224700/01
	Fax Number	+91 8455 224705
1.4	Emergency Cell Number	+919000031515
	E-Mail	chemininfo@itwchemin.com
	Website	www.itwchemin.com

2. HAZARD IDENTIFICATION

Hazard statements: H315: Causes skin irritation.
H319: Causes serious eye irritation

Hazard Pictogram: GHS07: Exclamation mark



Signal Word: Warning

Precautionary statements: P102: Keep out of reach of children
P240: Ground/Bond container and receiving equipment.
P243: Take precautionary measures against static discharge.
P261: Avoid breathing dust/fumes/gas/mist/vapors/spray.
P271: Use only outdoors or in a well-ventilated area.
P280: Wear protective gloves/protective clothing/eye protection/face protection.
P303+361+353: If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P312: Call if you feel unwell.
P403+233: Store in a well-ventilated place. Keep container tightly closed.

Other Hazards: This product is not identified as a PBT/vPvB substance.

3. COMPOSITION/INFORMATION ON THE COMPONENTS

No Hazardous components as per OSHA'S HAZARD COMMUNICATION STANDARD 29CFR 1910.1200

<u>Component Name</u>	<u>CAS#</u>	<u>Concentration</u>
Hydro treated heavy naphtha	64742-48-9	40-60 %
Light Naphthenic oils	64742-63-8	30-45 %
Sulphonate Derivatives	-----	5-15 %

4. FIRST AID MEASURES

	4.1: First aid measures	4.2: Symptoms
Eye contact	Immediately flood the eye with plenty of water for at least 15 minutes, holding the eye open. Obtain medical attention if soreness or redness persists	Irritant, not likely to cause permanent damage.
Skin contact	Wash skin with soap and water. Apply a reconditioning skin cream.	Mild to severe skin irritant, Prolonged contact can cause redness, swelling and cracking of skin.
Ingestion	Wash out mouth with water. Do not induce vomiting. Obtain medical attention.	Swallowing may have the following effects: - irritation of mouth, throat and digestive tract. Nausea
Inhalation	Move to fresh air in case of accidental inhalation of vapors. If victim has stopped breathing, give artificial respiration. Call for prompt.	Little, if any, effects caused by inhalation of the vapors from this product. In high concentrations, Head ache, Giddiness, Mental confusion, Nausea and irritation of upper respiratory passages.

5. FIRE FIGHTING MEASURES

5.1	Extinguishing Media	Use foam, dry chemical or carbon dioxide.
5.2	Specific hazards arising from the chemical	This product may give rise to hazardous fumes in a fire.
5.3	Advice for fire-fighters	Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.
5.4	Unsuitable Extinguishing Media	Do not use water jet

6. ACCIDENTAL RELEASE MEASURES

6.1	Personal Precautions	Material can create slippery conditions underfoot.
6.2	Environmental Precautions	Try to prevent the material from entering drains or rivers.
6.3	Methods and material for containment and cleaning up	Contain and absorb using, sand or other inert material. Transfer into suitable containers for recovery or disposal. Flush area with water.

7. HANDLING AND STORAGE

- | | | |
|-----|-----------------|--|
| 7.1 | Handling | Keep away from heat, sparks and Flame. |
| 7.2 | Storage | Store in well – ventilated area and in accordance with local regulations regarding flammable liquid. |

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

- | | | |
|-----|--|--|
| 8.1 | Control parameters | DNEL / PNEC No data available. |
| 8.2 | Engineering Control Measures | Exposure to this material may be controlled in a number of ways. The measures appropriate for a particular worksite depend on how the material is used and on the potential for exposure. Use of the basic principles of Industrial Hygiene will enable this material to be used safely. |
| 8.3 | Individual protection measures, such as personal protective equipment | |
| | Respiratory Protection | Respiratory protection not normally required. If operating conditions create air borne Concentrations that are exceeding the exposure standards, the use of an approved Respirator is recommended. |
| | Hand Protection | Avoid contact with skin or clothing. Wearing impervious protective clothing including gloves can minimize skin contact. Protective clothing made from neoprene, nitrile or n- butyl rubber is suitable in these applications. |
| | Eye Protection | Avoid eye contact. Chemical safety goggles if there is a risk of eye contact. |
| | Body Protection | Normal work wear. |

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance (physical state, color, etc.).	Amber color Liquid
Odor	Characteristic
Viscosity	6.0-9.0 cSt @37.8°C
pH	Not Applicable
Melting Point/Freezing point	Not Applicable
initial boiling point and boiling range.	Boils above 200°C
Flash point.	>100
evaporation rate.	<1(Bμ Ac=1)
flammability (solid, gas).	Not Applicable
upper/lower flammability or explosive limits.	Not Applicable
vapor pressure.	<1
vapor density.	>1
Density.	0.840+/- 0.02 Kg/L
solubility(ies).	Not miscible
Partition coefficient: n-octanol/water.	Not Applicable

Auto ignition temperature. Above 150
Decomposition temperature. Not Applicable

NOTE: The above data are typical values and cannot be inferred as specifications

10. STABILITY AND REACTIVITY

10.1	Reactivity	Stable under recommended transport or storage conditions
10.2	Chemical stability	Stable under normal condition
10.3	Possibility of Hazardous reaction	Hazardous reaction not occur under normal transport or storage condition
10.4	Condition to avoid	High temperatures
10.5	Incompatible material	Strong oxidizing agents. Strong acids
10.6	Hazardous Decomposition Products	After evaporation of water, combustion will generate: oxides of nitrogen, ammonia smoke, possibly thick and choking, resulting in zero visibility.

11. TOXICOLOGICAL INFORMATION

11.1	Routes of exposure	Refer to section 4 of SDS for routes of exposure and corresponding symptoms
------	---------------------------	---

12. ECOLOGICAL INFORMATION

12.1	Eco toxicity	No data available
12.2	persistence and degradability	The product is expected to be partially or slowly biodegradable
12.3	Bio accumulative potential	No data available
12.4	Mobility in soil.	The product will leach into soil. The product is non- volatile and water- soluble and will partition to the aqueous phase.
12.5	Other adverse effects

13. DISPOSAL

13.1	Product Disposal	Incineration. Dispose of in accordance with all applicable local and national regulations.
	Container Disposal	Labels should not be removed from containers until they have been cleaned. Dispose of containers with care. Do not incinerate closed containers.

14. TRANSPORT INFORMATION

14.1	UN number	1993
14.2	UN proper shipping name	Shipping name: " Flammable liquid"
14.3	Transport hazard class(es)	3
14.4	Packing group	III
14.5	Environmental hazards	Environmentally Hazard : No Marine Pollutant : No
14.6	Special precautions for user	

15. REGULATORY INFORMATION

15.1 **Safety, health and environmental regulations/legislation specific for the substance or mixture** Flammable

15.2 **Chemical Safety Assessment** None

Note The regulatory information given above only indicates the principle regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions, which complete these regulations. Refer to all applicable national and local regulations or provisions.

16. OTHER INFORMATION

Product Use For industrial use only. Rust preventive oil

SDS Issued On June 2015

SDS Revised on/Version # May; 2019/ 04

Legal disclaimer The above information is believed to be correct but does not purport to be all-inclusive and shall be only used as guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.